

IceBlast

KG6 1/2" Battery - 100/230 V

ICETECH

IceBlast KG6 - Battery

IceBlast KG6 1/2" Battery

IceBlast KG6 1/2" Battery - 100/230 V

The IceBlast KG6 Battery is suitable for companies that have a limited number of short Dry Ice Blasting cleaning tasks. It is supplied complete with an ergonomic Blasting Gun and 5 m Blasting Hose. The machine is unique due to its size and operation principles. It is electrically driven and controlled.

The machine includes a battery which allows the KG6 Battery to operate without power supply. The Dry Ice Blasting machine is made of stainless steel and has a well-arranged, user-friendly control panel making it simple to operate.

Its compact size allows easy use in production areas. IceBlast KG6 Battery has adjustable pellet dosage, and various pressure can be selected depending on the coating to be removed.

The machine is highly effective due to the IceTech patented self-adjustment system that requires a minimum of maintenance. Dry Ice pellets with a diameter of 3 mm are used as blasting material.

IceTech products are:

- High-quality
- Reliable
- Ergonomic
- Easy to operate
- Multifunctional
- Cost and time saving



IceBlast

KG6 1/2" Battery - 100/230 V

ICE **TECH**


IceBlast KG6 - Battery

Technical data

Dimensions mm/inch: **Length:** 480 / 18.8 **Width:** 520 / 20.4 **Height incl. handle:** 930 / 36.6
Height w/ handle folded down: 650 / 25.6

Weight: **kg:** 50 / **lbs:** 110

Dry Ice Capacity: **kg:** 6 / **lbs:** 13

Dry Ice Consumption: **kg/hr:** 15-40 **lbs/hr:** 36-88 *-infinitely adjustable*

Supply Pressure: **bar:** min. 5 - max. 10 **psi:** min. 72 - max. 145

Blasting Pressure: **bar:** min. 2 - max. 10 **psi:** min. 29 - max. 145

Air Consumption: **Nm3/min:** 0.7 - 5 **cfm:** 25 - 175 *-depending on nozzle combination*

Compressed Air Connection: 3/4" claw coupling
Air quality: According to ISO 8573-1 Class 3 for environment temperature below + 5°C.

Power Consumption: 230 V - 110 V - 100 V - AC 50-60 Hz - 800 W
 24 V handy interchangeable battery and battery charger

Hose: Blasting Hose, 3/4" Single Hose System

Noise: Noise level 60-120 dB(A) depending on blasting pressure,
 nozzle combination and material surface

Contact IceTech to obtain expert advice on the right Dry Ice Blasting solution for you.

Head office Europe: +45 7656 1500 • Head office United States: +1 513-942-4144 • IceTech Germany Toll free (Germany): 0800 423 8324
 Or visit IceTech online at www.icetechworld.com to learn more.

IceBlast

KG6 1/2" Battery - 100/230 V

ICETECH

IceBlast KG6 - Battery

● Included

Blasting Hose 1/2"

Length: 5 m / 16 ft

Item no: 504706

The Blasting Hose is made of a flexible fibre reinforced silicone tube with a protective sleeve. Safety couplings allow swift and safe connection to the machine and the blasting gun.



Air Supply Hose 3/4"

Length: 10 m / 32 ft

Item no: 90199
US Item no: 90194



IceGun KG6 1/2", complete, with nozzle and nozzle holder

Item no: 201502
US Item no: 501058

The blasting guns are modularly designed and can be combined with a broad range of nozzles and accessories. This makes them adaptable to suit each individual blasting application, thus it is always possible to obtain maximum cleaning efficiency.



- :: Safety switch
- :: Trigger - Blasting with Dry Ice AND Air

● IceBlast KG6 1/2" Battery

● Technical Data

● Included

● Appropriate Accessories

IceBlast

KG6 1/2" Battery - 100/230 V

ICE **TECH**


IceBlast KG6 - Battery

Appropriate Accessories

Blasting Hose

Length: 1.5 m / 5 ft
 Length: 5 m / 16 ft
 Length: 7.5 m / 24 ft
 Length: 10 m / 32 ft

Item no: 504705
 Item no: 504706
 Item no: 504707
 Item no: 504723



Air Supply Hose 3/4"

Length: 3 m / 9.9 ft
 Length: 10 m / 32 ft

Item no: 90195
 Item no: 90199
 US Item no: 90194



IT3 Box of Nozzles

Item no: 90390

Includes the most commonly used types of nozzles, delivered in a flight case.

Length: 550 / 21.6

Width: 350 / 13.8

Weight: g: 3500 / lbs: 7.7



Battery for KG6

Item no: 200856

24 V Battery for controlboard and operation.

